



COPY OF PAPERS
ORIGINALLY FILED

DOCKET 13076

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application of

Anatoly Gosis

Serial No. 10/001,371

Filed October 25, 2001

Group Art Unit: UNKNOWN

Examiner: UNKNOWN

"VALVE ASSEMBLY"

I, JoAnn Frye, hereby certify that this correspondence is being deposited with the US Postal Service as first class mail in an envelope addressed to Commissioner of Patents and Trademarks, Washington, D.C. 20231, on the date of my signature.

Signature

Date of Signature

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

The Commissioner of Patents and Trademarks
Washington, DC 20231

SIR:

Enclosed is a copy of the above mentioned Notice and the formal drawings for the above-identified application.

Entry of the enclosed drawings is respectfully requested. No fee is believed due for this communication. However, the Commissioner is hereby authorized to charge payment of any additional fees associated with this communication to Deposit Account No. 09-0025. Thank you.

Respectfully submitted,

Paul F. Donovan
Paul F. Donovan
Reg. No. 39,962

ILLINOIS TOOL WORKS INC.
3600 West Lake Avenue
Glenview, IL 60025
(847) 657-4075




UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/001,371	10/25/2001	Anatoly Gosis	13076

CONFIRMATION NO. 2324

FORMALITIES LETTER



PAUL F. DONOVAN
ILLINOIS TOOL WORKS INC.
3600 WEST LAKE AVENUE
GLENVIEW, IL 60025

Date Mailed: 12/31/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

10001371 031202

BEST AVAILABLE COPY